FORM PTO-1390 U.S. DEPARTMENT OF COMME (REV. 11-2000)	RCE PATENT AND TRADEMARK OFFICE	ATTORNEY 'S DOCKET NUMBER				
	TRANSMITTAL LETTER TO THE UNITED STATES					
DESIGNATED/ELECTE		U.S. APPLICATION NO. (If known, see 37 CFR 1 5)				
CONCERNING A FILIN	09/ 290 1 7 2					
INTERNATIONAL APPLICATION NO.	PRIORITY DATE CLAIMED					
PCT/US00/02317	INTERNATIONAL FILING DATE January 28, 2000	January 29, 1999				
		•				
	NERATION OF CERTIFICATES USIN	G SECURE MICROPROCESSOR IN				
A DEVICE FOR TRANSFERRING D	IGITAL INFORMATION					
APPLICANT(S) FOR DO/EO/US						
SASHA MEDVINSKY, ERIC J. SPRU	NK.	·				
Applicant herewith submits to the United St	ates Designated/Elected Office (DO/EO/US)	the following items and other information:				
1	is concerning a filing under 35 U.S.C. 371.	=				
	NT submission of items concerning a filing t					
	ational examination procedures (35 U.S.C. 3					
(5), (6), (9) and (21) indicated below	7.					
4. X The US has been elected by the expi	ration of 19 months from the priority date (A	article 31).				
5. X A copy of the International Applicat	ion as filed (35 U.S.C. 37(c)(2))					
a. is attached hereto (required	only if not communicated by the Internation	al Bureau).				
b. has been communicated by	the International Bureau					
c. is not required, as the applie	cation was filed in the United States Receiving	ng Office (RO/US).				
6. An English language translation of t	he International Application as filed (35 U.S.	.C. 371(c)(2)).				
 a. is attached hereto. 						
 b. has been previously submit 	ted under 35 U.S.C. 154(d)(4).					
7. Amendments to the claims of the In-	ternational Application under PCT Article 19	(35 U.S.C. 371(c)(3)).				
 a. are attached hereto (require 	d only if not communicated by the Internatio	nal Bureau).				
 b. have been communicated b 	y the International Bureau.					
c. have not been made; however	er, the time limit for making such amendmen	nts has NOT expired.				
d. have not been made and wi	Il not be made.					
8. An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)).						
9. An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).						
10. An English language translation of the annexes of the International Preliminary Examination Report under PCT						
Article 36 (35 U.S.C. 371(c)(5)).						
Items 11 to 20 below concern docu						
11. An Information Disclosure Statement under 37 CFR 1.97 and 1.98.						
12. An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.						
13. A FIRST preliminary amendment.						
14. A SECOND or SUBSEQUENT preliminary amendment.						
15. A substitute specification.						
"16. ☐ A change of power of attorney and/or address letter.						
17. A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 – 1.825.						
18. A second copy of the published inte						
	age translation of the international application	n under 35 U.S.C. 154(d)(4).				
20. Other items or information:	. 18 💆					
1	All .					
1	***					
	* · ·					
I.						

mir in the color	Charmel of the se	DWCD11W0111 ADVIOLOG		- Lames miles a comme	
S/ Applitude (1/108, 970 1975) 8 INTERNATIONAL APPLICATION NO PCT/US00/02317			ATTORNEY'S DOCKET NUMBER 018926-003400US		
21. 🖾 The follow				CALCULATIONS PTO USE ONLY	
	L FEE (37 CFR 1.492(A) (CALCULATIONS FI	O USE ONL!		
	preliminary examination fee				
	th fee (37 CFR 1.445(a)(2))				
		he EPO or JPO	\$1000.00		
	ary examination fee (37 CF.				
		by the EPO of JPO	\$860.00		
	ary examination fee (37 CF, mal search fee (37 CFR 1.44	R 1.482) not paid to 15(a)(2)) paid to USPTO	\$710.00		
	ary examination fee (37 CF did not satisfy provisions o	R 1.482) paid to f PCT Article 33(1)-(4)	\$690.00		
	ary examination fee (37 CF) s satisfied provisions of PC7	R 1.482) paid to Γ Article 33(1)(4)	\$100.00		
	TER APPROPRIATE BA			\$690.00	
months from the earlie	est claimed priority date (37		∐ 30	s	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	S	
Total claims	2 - 20 =		x \$18.00	\$	
Independent claims	1 -3 =	1	x \$80.00	S S	-
MULTIPLE DEPENI	DENT CLAIM(S) (if applica	F ABOVE CALCUL	+ 270.00	\$690.00	
Cl. Amelianet alain				\$650.00	
above are redu		ee 37 CFR 1.27. The fees	indicated +	s	
			TOTAL =	s	
	0.00 for furnishing the Englest claimed priority date (37)	s			
		TOTAL NATION			
		R 1.2(h)). The assignment n FR 3.28, 3.31). \$40.00 per p		\$	
		\$690.00			
				Amount to be refunded:	s
				charged:	s
a. A check in	d	to cover the above fe			1.7
		. 20-1430 in the amount of S		over the above fees.	
c. \(\simega\) The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 20-1430. A duplicate copy of this sheet is enclosed.					
d. Fees are to be charged to a credit card. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.					
may manya sayang mya se menaneg on mis rot ms 110700. Cledit Call Information and Stationization (if F107200).					
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b) must be filed and granted to restore the application to pending status.					
SEND ALL CORRES	SPONDENCE TO:	SIGNATURE	1 ports		
Charles J. Kulas					
Townsend and Towns	end and Crew LLP	Charles J. Kula	ıs l		
Two Embarcadero Ce			NAME		
San Francisco, CA 94	*			Mann	ļ
				35.809	
				REGISTRATION 1	NUMBER
				ACOISTRATION :	TOMBLE

PCT/US00/02317

USING A SECURE MICROPROCESSOR IN A DEVICE FOR TRANSFERRING DIGITAL INFORMATION

15

20

25

10

5

BACKGROUND OF THE INVENTION

This invention relates in general to secure data transfers in digital systems and more specifically to a device in such a digital system that has the ability to self-issue certificates in a secure manner.

Public key systems have become a very popular means for providing security in digital systems. Public Key Systems (PKS) have two different keys, one for encryption, or signing, and one for decryption, or verifying. This separation of keys has great security value in that the sign/decrypt function can be securely isolated from verify/encrypt functions, as is appropriate for the typical use of these keys. Public key systems are also known as asymmetric systems, or cryptosystems, as opposed to non-public key systems that are known as symmetric, or secret key, systems.

To send a message in a public key system, a sender obtains the receiver's public key. The sender uses the public key to encrypt a message. The encrypted message is then sent to the receiver. Since only the receiver has the corresponding private key of the

public/private key pair, only the intended receiver can decrypt and view the encrypted message.

However, a problem arises in that the sender may not be sure that they have obtained the receiver's correct public key in the first place. For example, a fraudulent public key may have been provided under the guise of the receiver's public key. In order to prevent this, "certificates" are used to generate confidence in the legitimacy of a public key. A certificate is typically the information that is included along with a signed message, where the certificate includes the public key required to verify the signature on the message. The certificate is signed with the certifying authority's private key and can be verified by a recipient of the certificate by using the certifying authority's public key. Of course, the same problem of obtaining the known certifying authority's correct public key in the first place still exists. A sequence of certified public keys can be obtained from sources of progressively higher trust, where each preceding certificate's public key comes from a successively more trustworthy source. At some point, the user of a certificate's public key must be able to trust, or be assured that, the original public key for the chain of certificates does, indeed, come from the proper source and is valid.

The act of user authentication (verification of user identity) usually includes the verification of the user's certificate. Usually the certificate includes the identity of the sender, the identity of the certificate issuer, the sender's public key, the time period for which the certificate is valid, etc.

Sometimes it is necessary to update key pairs by sending new key pairs from one device to another. This procedure can benefit from being validated by certificates, but where the updating occurs frequently the inclusion of certificate processing can put a high processing burden on the participating systems. Also, certificates need to be generated, signed and transferred in order to minimize the effect that a "broken" or "stolen" private key could have on a system. The maintenance of security based on a public key scheme, certificates, authentication, etc., is referred to as a system's Public Key Infrastructure (PKI). An example of telecommunications systems where the implementation of a traditional PKI is problematic or prohibitive is in a large scale digital network, such as the Internet. Where the data being transferred is high bandwidth using many transactions of small size, the number of

20

25

30

5

25

30

5

discrete exchanges of data, along with their corresponding encryption, decryption, authentication, etc., is extremely large. However, the need for security such as is provided by a PKI is also great, especially in applications such as telephony, or other secure data transfers such as banking, etc.

Telecommunications systems that are large and based around flexible protocols such as Internet Protocol (IP) typically use many servers, switches, routers and other devices for transferring data. Each device is usually a discrete box that can use a combination of hardware and software. Many such devices are located in diverse locations many miles apart. It is necessary not only to ensure that communication between the devices remains secure, but also that processing within each device is highly immune from security attacks.

Shorter keys are often useful because their security functions (i.e., encoding/encrypting or decoding/decrypting) require less time than longer keys. However, the level of security provided is less than with longer keys so the shorter keys and certificates need to be replaced more often. If the initial keys and certificates are installed by the unit (e.g. cable telephony adapter) manufacturer while the replacement keys and certificates are transferred from the network service provider, a "dual trust" hierarchy is created that is not as robust as a single trust approach.

Thus, it is desirable to provide a security system for use in telecommunications systems that handles certification efficiently.

SUMMARY OF THE INVENTION

The present invention allows consumer communications device such as an IP telephony adapter to self-generate public key pairs and certificates. This eliminates the need for such keys and certificates to be sent to the devices from an outside source so a single-trust approach can be maintained. In another embodiment, public key pairs may be generated by a server and delivered to the consumer device in an encrypted and signed message. The certificate for the delivered public key would still be generated inside the consumer device. A manufacturer-signed consumer device certificate for a large public key is installed into a

device at the time of manufacture. The device only issues itself certificates (for a newly generated shorter key pair) based on a signed request from an external outside server. The device's self-issued certificates incorporate information obtained from the server in a profile. This allows control by the server over a device's self-issued certificates. In order to prevent tampering, and breaking, of the self-issued certificates, the certificate issuing process occurs within a secure microprocessor.

The invention discloses a method for providing self-issuing certificates in a device in a telecommunications system. The method includes receiving, from an external source, a request to generate a new certificate, wherein the request includes a certificate parameter; using a secure microprocessor to generate a new certificate that uses the certificate parameter; and using the new certificate in data transfers.

The preferred embodiment includes receiving, from an external source, a request to generate a new certificate, wherein the request includes a signed profile of what parameters should appear in the new certificate. The device generates a new public/private key pair and then signs a new certificate – all done as a single combined operation inside a secure microprocessor. In another embodiment, the request itself includes a public key and an encrypted private key. The device in that case decrypts the private key and signs the new certificate – again, all done inside a secure microprocessor as a single combined operation. The decryption key used is a (longer) private key that was installed in the device at the time of manufacture.

In both embodiments, the device can sign the new certificate with a (longer) certificate signing key that was installed at the time of manufacture. The new key pair and certificate, along with the pre-installed certificate for the device's certificate-signing key, can be used to secure call signaling and other communications.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a flowchart that describes the basic steps of the present invention;

Fig. 2A shows a portion of a telephony network 100 including a Cable
Telephony Adapter; and

Fig. 2B shows an exemplary embodiment of the CTA.

30

25

20

25

DESCRIPTION OF THE SPECIFIC EMBODIMENTS

The present invention is preferably included in a cable telephony system that is described in detail in the priority documents referenced at the beginning of this specification. Although specific reference is made to a cable telephony system, the invention is adaptable for use in virtually any telecommunications system that uses secured transactions.

Cable Telephony Adapter

FIG. 2A shows a portion of an IP telephony network 100 constructed in accordance with the present invention. The network 100 includes a first user 102 coupled to a source CTA 104. The source CTA 104 is further coupled to a source gateway controller 106 and an IP telephony network backbone 110.

The network 100 also includes a second user 112 coupled to a destination CTA 114. The destination CTA 114 is further coupled to a destination gateway controller 116 and the IP telephony network backbone 110. In addition, the network 100 also includes a customer service representative (CSR) center 120, a provisioning server 122 and a billing host 124

Each user of the network 100 goes through an initialization process to activate network service. For example, when the user 102 and associated CTA 104 are coupled to the network, a series of messages are exchanged between the CTA 104, the gateway controller 106 and the CSR 120. The messages provide for activation of telephony service for the user 102, establishment of account information and creation of encryption keys to be used by the CTA to encrypt and decrypt messages exchanged over the network. The billing host 124 is used to setup account information for each user and to bill for network usage. The provisioning server 122 is used to initialize and register CTA devices within a specific IP telephony network.

Fig. 2B shows an exemplary embodiment of the CTA 104 constructed in
accordance with the present invention. The CTA 104 includes a cable input interface (I/F)

5

202, a cable output I/F 204, a user output I/F 206, a user input I/F 208, a host processor 210, a memory 212 and an additional secure processor 220 along with secure memory 222, used to protect public/private key pairs 224. Certificates 214 are stored in regular memory because they are signed and don't require additional protection.

The cable input I/F 202 is coupled to a cable telephony input 216. The cable output I/F 204 is coupled to a cable telephony output 218. The cable telephony input and output I/F couple the CTA 200 to a cable telephony network, such as by connecting to a cable modem (not shown) that is coupled to the cable telephony network. In another embodiment, the cable modem is included in the CTA so that the cable telephony network may be connected directly to the CTA.

The processor 210 couples to the cable input I/F 202 and the cable output I/F 204 to provide processing of information received and transmitted, respectively, on the telephony network. The line 216 carries secure encrypted and/or signed information which cannot be processed directly by the host processor, since it does not have access to cryptographic keys. The host processor has to pass on this information to the secure processor, which has access to the necessary keys to perform cryptographic operations. The connections between the cable I/F modules and the user I/f modules carry unencrypted information. The unencrypted information is commonly referred to as clear text, which extends back to the user. Similarly, when clear text user input needs to be encrypted and/or signed, this cannot be done directly by the host processor. It passes on the information to the secure processor that performs the cryptographic operations. This way, encrypted and/or signed data appears on line 218.

The certificates in 214 cryptographically bind each public key to an identity.

The short, self-signed public key may be bound to either the device or user identity, while the longer public keys installed at the time of manufacture must be bound to the identity of the device (since the user identity is unknown at that time). The certificates are not protected in secure memory because they are already cryptographically protected with a digital signature.

Self-Issuance of Certificates

Fig. 1 is a flowchart that describes the basic steps of the present invention.

20

25

5

In Fig. 1, flowchart 10 is entered during provisioning when the CTA gets a request from a server to issue itself a certificate for a new public key. For example, the preferred embodiment uses a 768-bit RSA key pair as a `small' key pair with a self-issued certificate. The CTA is provided with a large 2048-bit RSA public/private certificate signing key pair and a corresponding public key certificate upon manufacture of the CTA at a factory. A large key-exchange public/private key pair (e.g., 2048-bit RSA key pair) and a corresponding certificate are also installed into the CTA at the factory.

Steps 14, 18 and 20 are performed by the secure microprocessor in the CTA. Thus, all of the steps necessary to issue a certificate for a small public key and certificate are performed inside the secure microprocessor. At step 14, the request from the server is authenticated by verifying the signature. In the preferred embodiment, in step 18 a "short" (e.g. 768-bit) RSA key pair is generated inside the secure microprocessor. In another embodiment, step 18 results in the decryption of the "short" RSA private key sent in the certificate request. At step 20, the CTA issues itself a new certificate for the corresponding public key that is also included in the server request. This new certificate is signed with the CTA's large certificate-signing key. The parameters in the new certificate (e.g., validity time) are copied from the certificate request sent by the server and are used in the self-issued certificate. Table I shows a list of different parameters in the profile of the server request. Table II lists the parameters that are copied over to the certificate from the profile in the request.

25

8

- 768-bit RSA Private Key (optional used if the device does not generate a key pair, itself)
- 768-bit Public Key (optional used if the device does not generate a key pair, itself)
- Key/Certificate Validity Period (start and stop times)
- Network ID
 - CTA ID
 - Signature Algorithm (e.g., RSA over SHA-1)
 - Signature Over Certificate Request
 - Network Certificate (2048-bit)
 - Network Equipment Manufacturer Certificate

TABLE I

- Public Key (optional used if the device does not generate a key pair, itself)
- Key/Certificate Validity Period (start and stop times)
- · Network (or Service Provider) ID
- CTA (or user) ID

TABLE II

After creation of the new certificate, and corresponding key pair, the CTA can use them to either authenticate itself or for secure key exchanges. Because the new certificate is issued inside a secure microprocessor, a hacker can't tamper with the certificate issuing process. The certificate is based on the information in the server certificate request. Also, it is difficult for a hacker to imitate a server certificate request as the request must be signed with the server's private key.

Note that variations from the specific embodiments discussed here are possible. For example, different key sizes and public key technology (e.g., RSA, Elliptic Curve, El Gamal, etc.) may be used. Thus, although the invention has been presented with respect to specific embodiments thereof, these embodiments are merely illustrative, and not

WO 00/45241 PCT/US00/02317

9

restrictive, of the invention, the scope of which is to be determined solely by the appended claims.

WHAT IS CLAIMED IS:

 A method for providing self-issuing certificates in a device in a telecommunications system, the method comprising

receiving, from an external source, a request to generate a new certificate, wherein the request includes an encrypted public key;

using a secure microprocessor to generate a new certificate that uses the public key; and

using the new certificate in data transfers.

2. The method of claim 1, wherein the request includes a validity time, the method further comprising

including the validity time in the new certificate.

PCT/US00/02317






FIG. 1.



SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)

Please type a plus sign (+) inside this box

required)

Unassigned

			Attorney Docket Num	ber 010320-00340003	
DECLARATION FOR UTILITY OR DESIGN			First Named Inventor	Sasha Medvinsky, et al.	
PATENT APPLICATION (37 CFR 1.63)		COMPLETE IF KNOWN			
		Application Number	09/890,178		
Submitted OR Submitt With Initial Filing (s	☐Declaration Submitted after Initial	Filing Date	Unassigned		
	Filing (surcharge (37 CFR 1.16 (e))	Group Art Unit	Unassigned		

Examiner Name

As a below named inventor, I hereby declare that:							
My residence, post office address, and citizenship are as stated below next to my name.							
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patient is sought on the invention entitled: SELF-GENERATION OF CERTIFICATES USING A SECURE MICROPROESSOR IN A DEVICE FOR TRANSFERRING DIGITAL INFORMATION							
the specification of which		e Invention)			_		
☐ is attached hereto	(1)00 07 07	e invention)					
OR							
was filed on (MM/DD/Y	01/28/00	as United State	s Application Number o	r PCT Internation	al		
Application Number P	CT/US00/02317 and	was amended on (MM/D	DYYYY)		(if applicable).		
I hereby state that I have review specifically referred to above.	ed and understand the conte	nts of the above identifie	d specification, includin	g the claims as a	mended		
I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56, including for continuation-in-part applications, material information which became available between the filling date of the prior application and the national or PCT informational filling date of the conflication can be described in the prior application and the national or PCT informational filling date of the conflication.							
I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any FCT international application which designated at least one country other than the United States of America. Itsied below expected the property of the prop							
Prior Foreign Application		Foreign Filing Date Priority Certified Copy Atta					
Number(s)	Country	(MM/DD/YYYY) Count	untry Not Claimed YES				
☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:							
I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.							
Application Number(s)	Filing Date (MM/DD/YYYY)						
60/117,788 60/128,772	January 29, 1999 April 9, 1999		Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.				

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, UP Patent and Trademark Office, Weshington, DC 20231, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

PTO/S8/01 (10-00)
Approved for use through 10/31/2002. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE o a collection of Information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application										
Direct all corresp	oondence to:		stomer N Bar Cod		\Box	20350	OR		orrespondence address below	
Name					7					
Address										
Address										
City						State		ZIP		
Country			Teleph	one					Fax	
I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the sike so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued whereon.										
NAME OF SOL	E OR FIRST	INVENT	OR:		_ [A petition has	been filed f	or this	unsigned inventor	
Given Name	SABHA	Ale	Xan	Les 7-16-a		mily Name ME Surname	DVINSKY			
Inventor's Signature	exued	er V	4ea	lows	hy	Ч			Date 10-16-0	
Residence: City	,		Stat	• CA		Country			itizenship	
San Diego			Cali	fornia	∪	US			S	
Mailing Addres	s 8873	3 Hampe	Court							
Mailing Address	s	1					T			
City		State			ZIP					
San Diego		Califor	nia		9212	9	US			
NAME OF SEC	OND INVENT	ror:				A petition has b	een filed for	r this t	unsigned inventor	
Given Name ERIC, J. Family Name SPRUNK or Sumame										
Inventor's Signature Date 10/16/01										
Residence: City	,			State /	110	ountry			Citizenship	
Carlsbad				California	<u>`</u> u	s			us	
Mailing Address 6421 Cayenne Lane										
Mailing Address										
City		State			Z	IP .		Co	ountry	
Carlsbad		Califon	nia		و	92009 US		3		
Additional inventors are being named on the supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto.										
D . A (A)										

[Page 2 of 2]

PTO/SB/81 (02-01) Approved for use through 10/31/2002. OMB 0651-0035 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

09/890.178

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. Application Number

	Filing Date					
	First Named Inventor		Sash Medvinsky			
POWER OF ATTORNEY OR			Self-Generation of Certificates using			
AUTHORIZATION OF AGENT	Title		a Secure Microproessor in a Device for Transferring Digital Information			
	Group Art U	Init	Unassigned			
	Examiner N		Unassigned			
	Attorney Do	cket Number	018926-003400US			
	$\overline{}$					
I hereby appoint: ☑ Practitioners at Customer Number ② Practitioner(s) named below:	0	_	Place Customer Number Bar Code Label here			
Name	,	Registra	ation Number			
as my/our attorney(s) or agent(s) to prosecute the business in the United States Patent and Tradem	application ide ark Office conn	ntified above, and tected therewith.	to transact all			
Please change the correspondence address for the The above-mentioned Customer Number. OR Practitioners at Customer Number	ne above-identif	ned application to:	>			
Firm or Individual Name						
Address	Y					
Address						
City	St	ate	ZIP			
Country						
Telephone	F	ax				
I am the: Applicant/Inventor.	, 27 OED 2 74					
Assignee of record of the entire interest. Se Statement under 37 CFR 3.73(b) is enclosed						
SIGNATURE of Applicant or Assignee of Record						

18 October 2001 NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*. forms are submitted.

Charles M. Fish, Assistant Secretary

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any Comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark.

Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.SF 1278143 v1

Name

Signature